

GAMMA HOOFDBESCHERMING	Low End		Medium End							High End										
	1100 FP-SLIP-30MM	1125 FP-SLIP-30MM	1125 FP-SLIP-VENTIED-30MM	1125 FP-WHEEL-30MM	1125 FP-WHEEL-VENTIED-30MM	1125 RP-SLIP-CONNECT	1125 RP-SLIP-VENTIED-CONNECT	1125 RP-WHEEL-CONNECT	1125 RP-WHEEL-VENTIED-CONNECT	CONCEPT STANDARD FP-SLIP-30MM	CONCEPT STANDARD FP-VENTIED-30MM	CONCEPT STANDARD FP-WHEEL-30MM	CONCEPT LINESMAN RP-30MM	CONCEPT ROOFER RP-WHEEL-VB-NIED-30MM	VISION RP-SLIP-30MM	VISION RP-WHEEL-30MM	VULCAN FP-SLIP-CONNECT	VULCAN FP-WHEEL-CONNECT		
	03080361	03080363	03080446	03080442	03080444	03080085	03080445	03080441	03080443	03080389	03080390	03080391	03080387	03080388	03080362	03080427	03080109	03080110		
Schaal Material:																				
HDPE	✓	✓	✓	✓	✓	✓	✓	✓	✓											
ABS										✓	✓	✓	✓	✓	✓	✓	✓	✓		
GRP																				
Helm Gewicht:	375g	365g	365g	415g	415g	350g	350g	400g	400g	300g	300g	350g	325g	350g	495g	545g	375g	425g		
De afmeting:	51-63cm	51-63cm	51-63cm	52-63cm	52-63cm	51-63cm	51-63cm	52-63cm	52-63cm	51-63cm	51-63cm	52-63cm	51-63cm	52-63cm	51-63cm	52-63cm	51-63cm	52-63cm		
Binnenwerk:																				
Teryleen		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Kunststof	✓																			
Zweetband:																				
Brushed Nylon	✓	✓	✓	✓	✓	✓	✓	✓	✓								✓	✓		
Hydro-Flock										✓	✓	✓	✓							
Vabon														✓						
Elektrische Isolatie:																				
440V a.c (EN 397)	✓	✓		✓		✓		✓		✓		✓	✓		✓	✓	✓	✓		
1000V a.c										✓		✓	✓		✓	✓				
20,000V a.c (ANSI)										✓		✓	✓							
Lage Temperatuur:																				
-10°C	✓																			
-30°C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
-40°C																				
Vloeibaar Metaal (MM)	✓	✓		✓		✓		✓		✓		✓		✓		✓	✓	✓		
Laterale Vervorming (LD)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Kleuren	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Verpakte Hoeveelheid	1	20	1	20	1	10	20	20	10	10	1	20	1	20	1	10	1	10	1	1



1100 FP 30mm
03080361



1125 FP 30mm
03080363



1125 FP Vented
03080446



1125 FP Ratchet
03080442



1125 FP Ratchet Vented
03080444



1125 RP Connect
03080085



1125 RP Vented Connect
03080445



1125 RP Ratchet Connect
03080441



1125 RP Ratchet Vented
Connect 03080443



Concept FP 30mm
03080389



Concept FP Vented 30mm
03080390



Concept FP Ratchet 30mm
03080391



Bosbouw visier
02010153



Gelaatschermen
02010099, 56, 164, 162, 163, 173



Hydro-Flock Zweetband
05560045



Kunststof Binnenwerk
04980054



Centurion Helm Oorkap
00320135



Bilsom Connect Clip
05590004



Bilsom CLARITY C1H
00320199



Pellor OPTIME I
00320148




Concept Linesman
03080387



Concept Roofer
03080388



Gelaatscherm drager
06250031



Triacetat Gelaatschermen
02010186/85



Brushed Nylon Zweetband
05560013



Teryleen Binnenwerk
04980024



Centurion Connect clip
05590051



Bilsom 30mm Clip
00559011



Bilsom CLARITY C3H
03020200



Pellor OPTIME II
00320152




Vision 30mm
03080362



Vision 30mm Ratchet
03080427



Hoge Temp Gelaatscherm drager
06250070



Goud Gelaatscherm
02010184




Vabon Zweetband
05560030



Teryleen Binnenwerk Wheel
04980074



Centurion 30mm Clip
05590060



Pellor Connect Clip
03080214



Pellor 30mm Clip
05590042



Pellor OPTIME III
03020155



Vulcan FP Connect
03080109



Vulcan FP Ratchet Connect
03080110

Gamme de protection de la tête	Low End		Medium End							High End								
	1100 FP-SLIP-30MM	1125 FP-SLIP-30MM	1125 FP-SLIP-VENTIED-30MM	1125 FP-WHEEL-30MM	1125 FP-WHEEL-VENTIED-30MM	1125 RP-SLIP-CONNECT	1125 RP-SLIP-VENTIED-CONNECT	1125 RP-WHEEL-CONNECT	1125 RP-WHEEL-VENTIED-CONNECT	CONCEPT STANDARD FP-SLIP-30MM	CONCEPT STANDARD FP-VENTIED-30MM	CONCEPT STANDARD FP-WHEEL-30MM	CONCEPT LINESMAN RP-30MM	CONCEPT ROOFER RP-WHEEL-VB-NIED-30MM	VISION RP-SLIP-30MM	VISION RP-WHEEL-30MM	VULCAN FP-SLIP-CONNECT	VULCAN FP-WHEEL-CONNECT
	03080361	03080363	03080446	03080442	03080444	03080085	03080445	03080441	03080443	03080389	03080390	03080391	03080387	03080388	03080362	03080427	03080109	03080110
Matériau du casque:																		
HDPE	✓	✓	✓	✓	✓	✓	✓	✓	✓									
ABS										✓	✓	✓	✓	✓	✓	✓	✓	✓
GRP																		
Poids du casque:	375g	365g	365g	415g	415g	350g	350g	400g	400g	300g	300g	350g	325g	350g	495g	545g	375g	425g
Les dimensions:	51-63cm	51-63cm	51-63cm	52-63cm	52-63cm	51-63cm	51-63cm	52-63cm	52-63cm	51-63cm	51-63cm	52-63cm	51-63cm	52-63cm	51-63cm	52-63cm	51-63cm	52-63cm
Intérieur:																		
Térylène		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plastique	✓																	
Bandeau antisudation:																		
Brushed Nylon	✓	✓	✓	✓	✓	✓	✓	✓	✓								✓	✓
Hydro-Flock										✓	✓	✓	✓	✓	✓			
Vabon														✓				
Isolation électrique:																		
440V a.c (EN 397)	✓	✓		✓		✓		✓		✓		✓	✓		✓	✓	✓	✓
1000V a.c										✓		✓	✓		✓	✓	✓	✓
20,000V a.c (ANSI)										✓		✓	✓					
Température basse:																		
-10°C	✓																	
-30°C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-40°C		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Métal liquide (MM)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Déformation latérale (LD)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Couleurs	1	20	1	20	1	10	20	20	10	10	1	20	1	20	1	10	1	10
Quantité emballée	1	20	1	20	1	10	20	20	10	10	1	20	1	20	1	10	1	10



Visière pour la sylviculture 02010153



Écrans faciaux 02010099, 56, 164, 162, 163, 173



Bandeau anti-transpiration Hydro-Flock 05560045



Coiffe Plastic 04980054



Casque auditif Centurion 00320135



Bilson Connect Clip 05590004



Bilson CLARITY C1H 00320199



Pellor OPTIME I 00320148



Concept Linesman 03080387



Concept Roofer 03080388



Support pour écran facial 06250031



Écrans faciaux en triacétate 02010186/85



Bandeau anti-transpiration Brushed Nylon 05560013



Coiffe Térylène 04980024



Centurion Connect clip 05590051



Bilson 30mm Clip 00559011



Bilson CLARITY C3H 03020200



Pellor OPTIME II 00320152



Vision 30mm 03080362



Vision 30mm Ratchet 03080427



Support pour écran facial résistant à des températures élevées 06250070



Écran facial doré 02010184



Bandeau anti-transpiration Vabon 05560030




Coiffe Térylène avec bouton tournant 04980074



Centurion 30mm Clip 05590060




Pellor Connect Clip 03080214



Pellor 30mm Clip 05590042



Pellor OPTIME III 03020155



Vulcan FP Connect 03080109



Vulcan FP Ratchet Connect 03080110

